

Overview and Technical Data:

BLANCHARD - No. 20K-36 Rotary Surface Grinder

BLANCHARD

Buy Second Hand [term:name] Machiney cheap | [site:name] Year of Build: Jan 1979

Description:

Used Blanchard No. 20K-36 Rotary Surface Grinder

The Blanchard 20 series is ideally suited for medium size work pieces, which must be ground to close size, flatness and parallelism tolerances, as well as to fine surface finish requirements. It has a 36" diameter magnetic chuck and swings 48" inside the water guards, with a vertical range of 24".

Technical Data

- Axial Travel: 610mm
- Wheel Diameter: 508mm
- Table Diameter: 914mm
- Grinding wheel diameter 20"
- Magnetic chuck diameter 36"
- Swing diameter inside warterguards 48" Vertical range 24"
- Maximum load on chuck 3000 lbs
- Grinding wheel horsepower 50 HP / 90 Kva
- Type of feed system Servo Down feed rates IPM .0001 .100
- Chuck rotation speeds RPM 6 24
- Coolant capacity 250 gal
- Height* (Approximate) 105" Length (Approximate) 140" Width (Approximate) 69" Weight (Approximate Net) 18000 lbs

Technical Data:

Technical Data:

Control:

NC

Dimensions and Weight:

Height:

17.526 mm

Length:

2.667 mm

Width:

3.556 mm

Weight:

8.200 kg

Buyer Information:

Condition:

Normal wear

Available:

Immediately

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Location:

Germany

Images:











Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: https://ns1.asset-trade.de/en

Ref. No.: 811-03151816

Overview and Technical Data:

BLANCHARD - No. 20K-36 Rotary Surface Grinder

BLANCHARD

Buy Second Hand [term:name] Machiney cheap | [site:name]

Yea	r of	Build:
Jan	197	9

Description:

Used Blanchard No. 20K-36 Rotary Surface Grinder

The Blanchard 20 series is ideally suited for medium size work pieces, which must be ground to close size, flatness and parallelism tolerances, as well as to fine surface finish requirements. It has a 36" diameter magnetic chuck and swings 48" inside the water guards, with a vertical range of 24".

Technical Data

• Axial Travel: 610mm

• Wheel Diameter: 508mm

• Table Diameter: 914mm

- Grinding wheel diameter 20"
- Magnetic chuck diameter 36"
- Swing diameter inside warterguards 48" Vertical range 24"
- Maximum load on chuck 3000 lbs
- Grinding wheel horsepower 50 HP / 90 Kva
- Type of feed system Servo Down feed rates IPM .0001 .100
- Chuck rotation speeds RPM 6 24
- Coolant capacity 250 gal
- Height* (Approximate) 105" Length (Approximate) 140" Width (Approximate) 69" Weight (Approximate Net) 18000 lbs

	ical		

Technical Data:

Control:

NC

Dimensions and Weight:

Height:

17.526 mm

Length:

2.667 mm

Width:

3.556 mm

Weight:

8.200 kg

Buyer Information:

Condition:

Normal wear

Available:

<u>Immediately</u>

Sold as:

EXW (Ex Works - Incoterm)
VAT:

19 % Location: Germany

Images:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: <u>info@asset-trade.de</u>

Web.: https://ns1.asset-trade.de/en

Generated on 21.09.2025

 $\hbox{@ Copyright 2025 -} \underline{Asset-Trade-Assessment\ \&\ Sale\ of\ Used\ Assets\ worldwide}$

Page