

Image not found or type unknown



Ref. No.:

847-11201535

Overview and Technical Data:

OMAX - MAXIEM 1530 Waterjet

OMAX

Second hand OMAX Machinery for sale | Asset-Trade

Year of Build:

Mar 2015

Description:

Used QMAX MAXIEM 1530 Water Jet Cutting machine

- Work Envelope
- X-Y Cutting Envelope ***3,048 mm x 1,575 mm
- Z-Axis Travel ***305 mm
- Table Size – (L x W)3,708 mm x 1,727 mm
- Standard Model Specifications
- Speed12,700 mm/min
- Linear Positional Accuracy±0.0762 mm
- Repeatability±0.0254 mm
- Ballbar Circularity±0.1270 mm
- Footprint – (L x W)4,293 mm x 3,302 mm Height **3,200 mm
- Weight (tank empty)1,814 kg

More info shorty.

- Pump Output 50,000 PSI
- X-Axis Travel 3,061 mm
- Y-Axis Travel 1,575 mm
- Z-Axis Travel 305 mm
- Table Size-W 1,740 mm
- Table Size-L 3,708 mm
- Power 29.8 kW
- Weight 4,000

FEATURES:

- Fast cutting speeds and high precision that is backed by our exclusive Intelli-MAX® Software with real world cutting data
- Programmable Motorized Z-Axis with a precision OMAX MAXJET®5i Nozzle boosts productivity and process efficiency
- Drive system protected against water, dirt, and grit
- Powerful all-in-one controller computer with large 23" screen
- Highly efficient, industry-proven direct drive pumps available up to 40 hp with operating efficiencies up to 85%
- Free Intelli-VISOR® SE System Monitoring simplifies routine maintenance planning to minimize downtime

- Optional Rapid Water Level Control for quiet submerged cutting
- Optional Bulk Abrasive Feed Assembly transports garnet from the assembly's large hopper into the Zero Downtime Hopper located at the Programmable Motorized Z-Axis
- Optional Variable Speed Solids Removal System (VS-SRS) designed for industrial use increases uptime through automated solids removal
- Factory tested as a complete system before shipping

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

3.200 mm

Length:

4.293 mm

Width:

3.302 mm

Weight:

1.814 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

Images:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://ns1.asset-trade.de/en>

Ref. No.:
847-11201535

Overview and Technical Data:

OMAX - MAXIEM 1530 Waterjet

OMAX

Second hand OMAX Machinery for sale | Asset-Trade

Year of Build:
Mar 2015

Description:

Used QMAX MAXIEM 1530 Water Jet Cutting machine

- Work Envelope
- X-Y Cutting Envelope ***3,048 mm x 1,575 mm
- Z-Axis Travel ***305 mm
- Table Size – (L x W)3,708 mm x 1,727 mm
- Standard Model Specifications
- Speed12,700 mm/min
- Linear Positional Accuracy±0.0762 mm
- Repeatability±0.0254 mm
- Ballbar Circularity±0.1270 mm
- Footprint – (L x W)4,293 mm x 3,302 mm Height **3,200 mm
- Weight (tank empty)1,814 kg

More info shorty.

- Pump Output 50,000 PSI
- X-Axis Travel 3,061 mm
- Y-Axis Travel 1,575 mm
- Z-Axis Travel 305 mm
- Table Size-W 1,740 mm
- Table Size-L 3,708 mm
- Power 29.8 kW
- Weight 4,000

FEATURES:

- Fast cutting speeds and high precision that is backed by our exclusive Intelli-MAX® Software with real world cutting data
- Programmable Motorized Z-Axis with a precision OMAX MAXJET®5i Nozzle boosts productivity and process efficiency
- Drive system protected against water, dirt, and grit
- Powerful all-in-one controller computer with large 23" screen
- Highly efficient, industry-proven direct drive pumps available up to 40 hp with operating efficiencies up to 85%
- Free Intelli-VISOR® SE System Monitoring simplifies routine maintenance planning to minimize downtime
- Optional Rapid Water Level Control for quiet submerged cutting
- Optional Bulk Abrasive Feed Assembly transports garnet from the assembly's large hopper into the Zero Downtime Hopper located at the Programmable Motorized Z-Axis
- Optional Variable Speed Solids Removal System (VS-SRS) designed for industrial use increases uptime through automated solids removal
- Factory tested as a complete system before shipping

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

3.200 mm

Length:

4.293 mm

Width:

3.302 mm

Weight:

1.814 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

Images:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://ns1.asset-trade.de/en>

Generated on 21.09.2025

© Copyright 2025 - [Asset-Trade - Assessment & Sale of Used Assets worldwide](#)

Page