

Image not found or type unknown



Ref. No.:
1411-03211227

Overview and Technical Data:

RASOMA DZS 250-2 Vertical two spindle turning center

RASOMA

Second Hand RASOMA Machines for Sale cheap | Asset-Trade
Year of Build:
Jan 2010

Description:

Used RASOMA V DZS 250-2 vertical two-spindle turning center

CNC Controls Siemens 840D

Technical Details:

- Chuck
 - diameter max. 260 mm
 - Sled path X (per sled) approx. 900 mm
 - Slide path Z 400 mm
- Turning spindle unit
 - Spindle head A 6 (DIN 55026)
 - Diameter in the front bearing 120 mm
 - Spindle bore 38.1 mm
- Main drive
 - Motorized insertion spindle with AC built-in motor, water-cooled, infinitely variable lubrication
Lifetime grease drive power
 - at 100% ED 28.3 kW
 - at 40% ED 36 kW
 - Speed ??range 3500 rpm
 - Torque on the turning spindle max. at 100% ED 300 Nm
- Feed drive
 - X-axis via linear motor 1FN3
 - Rapid traverse speed 100 m/min
 - Feed force 6915 N
 - Z-axis via 1FT6 AC servomotors
 - Rapid traverse speed 30 m/min
 - Ball screw diameter 40 mm
 - Feed force » 8 kN

- Tool system
 - Disk turret tool holder mount VDI 40 tool positions
 - 12 tool disk SW 320 position measuring system
 - X-axis incremental linear length measuring system LC 183 Compressed air connection 6 bar
-

Vertical Turning Centers DZS

Our vertical turning centers DZS are available in 5 sizes and can be equipped with one spindle, two spindles, and with or without additional machining devices for high-performance milling, hob peeling (gear cutting), shaping, engraving and other machining methods.

The centers may be operated with two independent compound slide rests enabling parallel machining at the same time. The longitudinal slide moves along three linear guides and is equipped with a linear drive providing high stability together with high dynamics.

CONCEPT

Short auxiliary process times:

- Linear motor and three guides for the longitudinal slide
- 100 m/min and 5 m/s² on the X-axis
- Highly dynamic drives for the main spindle and the Z-axis
- Turret indexing time < 1 sec.

High flexibility:

- Tailored to the manufacturing job to be handled
- One-stop solutions for automation components, i.e. linear gantries, manipulators, gripper components, magazines, conveyor belts etc. starting from the idea via design up to fabrication

OPTIONS

- Installation of additional machining units
- Automation system tailored to the technology applied
- Integrated measuring station inside turret, working area or on the outside
 - Tool and process monitoring
- Driven tools
- And many other features

Technical Data:

Technical Data:

Control:

[SINUMERIK 840D](#)

Turning length:

400.00 mm

Turning diameter:

260.00 mm

Spindle Speed:

3500.00 rpm

Tool Capacity:

12 x
Tailstock:
No
Bezel:
No

Dimensions and Weight:

Height:
3310 mm
Length:
5276 mm
Width:
2400 mm

Buyer Information:

Condition:
[Very good condition](#)
Available:
[Sold](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[18 %](#)
Location:
Germany

Images:

Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
1
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
2
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
3
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
4
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
5
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
6
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
7
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
8
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
9
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
10
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
11
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade

12
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade

13
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade

14
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade

15



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://ns1.asset-trade.de/en>

Ref. No.:
1411-03211227

Overview and Technical Data:

RASOMA DZS 250-2 Vertical two spindle turning center

RASOMA

Second Hand RASOMA Machines for Sale cheap | Asset-Trade

Year of Build:

Jan 2010

Description:

Used RASOMA V DZS 250-2 vertical two-spindle turning center

CNC Controls Siemens 840D

Technical Details:

- Chuck
 - diameter max. 260 mm
 - Sled path X (per sled) approx. 900 mm
 - Slide path Z 400 mm
 - Turning spindle unit
 - Spindle head A 6 (DIN 55026)
 - Diameter in the front bearing 120 mm
 - Spindle bore 38.1 mm
 - Main drive
 - Motorized insertion spindle with AC built-in motor, water-cooled, infinitely variable lubrication
Lifetime grease drive power
 - at 100% ED 28.3 kW
 - at 40% ED 36 kW
 - Speed ??range 3500 rpm
 - Torque on the turning spindle max. at 100% ED 300 Nm
 - Feed drive
 - X-axis via linear motor 1FN3
 - Rapid traverse speed 100 m/min
 - Feed force 6915 N
 - Z-axis via 1FT6 AC servomotors
 - Rapid traverse speed 30 m/min
 - Ball screw diameter 40 mm
 - Feed force » 8 kN
 - Tool system
 - Disk turret tool holder mount VDI 40 tool positions
 - 12 tool disk SW 320 position measuring system
 - X-axis incremental linear length measuring system LC 183 Compressed air connection 6 bar
-

Vertical Turning Centers DZS

Our vertical turning centers DZS are available in 5 sizes and can be equipped with one spindle, two spindles, and with or without additional machining devices for high-performance milling, hob peeling (gear cutting), shaping, engraving and other machining methods.

The centers may be operated with two independent compound slide rests enabling parallel machining at the same time. The longitudinal slide moves along three linear guides and is equipped with a linear drive providing high stability together with high dynamics.

CONCEPT

Short auxiliary process times:

- Linear motor and three guides for the longitudinal slide
- 100 m/min and 5 m/s² on the X-axis
- Highly dynamic drives for the main spindle and the Z-axis
- Turret indexing time < 1 sec.

High flexibility:

- Tailored to the manufacturing job to be handled
- One-stop solutions for automation components, i.e. linear gantries, manipulators, gripper components, magazines, conveyor belts etc. starting from the idea via design up to fabrication

OPTIONS

- Installation of additional machining units
- Automation system tailored to the technology applied
- Integrated measuring station inside turret, working area or on the outside
Tool and process monitoring
- Driven tools
- And many other features

Technical Data:

Technical Data:

Control:

[SINUMERIK 840D](#)

Turning length:

400.00 mm

Turning diameter:

260.00 mm

Spindle Speed:

3500.00 rpm

Tool Capacity:

12 x

Tailstock:

No

Bezel:

No

Dimensions and Weight:

Height:
3310 mm
Length:
5276 mm
Width:
2400 mm

Buyer Information:

Condition:
[Very good condition](#)
Available:
[Sold](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[18 %](#)
Location:
Germany

Images:

Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
1
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
2
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
3
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
4
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
5
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
6
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
7
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
8
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
9
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
10
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
11
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
12
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
13
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade
14
Second Hand RASOMA V DZS 250-2 vertical two-spindle turning center for Sale | Asset-Trade



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://ns1.asset-trade.de/en>

Generated on 04.03.2026

© Copyright 2026 - [Asset-Trade](#)

Page