

Image not found or type unknown



Ref. No.:  
1451

## Overview and Technical Data:

# HOMAG BRANDT KDF 650 edge banding machine

## HOMAG

Second Hand HOMAG Wood working machines for sale | Asset-Trade

Year of Build:  
Jan 2012

## Description:

### Used HOMAG BRANDT Profiline KDF 650 with LigMatech Ecomat ZHR Retrurn

Controls Power Control PC 20+

Single-sided edge banding machine for processing straight workpiece edges and for gluing and reworking various edge materials in longitudinal and transverse throughfeed.

## Technical Data:

- Workpiece thickness: 8 - 60 mm
- Workpiece width
  - min. 70 mm (for workpiece thickness 12-22 mm)
  - min. 120 mm (for workpiece thickness 23–40 mm)
  - min. d150 mm (for workpiece thickness 41–60 mm)
- Workpiece protrusion: 38 mm
- Edge material roll 0.4 - 3 mm
- roll diameter max. 830 mm
- Edge material strips 0.4 - 12 mm
- Working height 950 mm
- Feed rate 8 -18 m/min
- Feed rate max. with profile cutter 11 m/min
- Feed max. with profile cutter in conjunction with VKNR 4839 14 m/min
- Unit equipment
- Joining unit 2 x 2.2kW; 200 Hz
- Gluing unit A12 Workpiece preheating, quickmelt application unit, glue reactivation (infrared emitter), automatic edge magazine with reinforced pre-cutting shears, pressure zone with driven main pressure roller and 3 free-running holding pressure rollers.
- Cross-cut unit bevel/straight 2x 0.35 kW; 12000 rpm
- Pneumatic 2-point adjustment of cross-cuts
- Pre-milling unit 2 x 0.55 kW; 12000 rpm counter rotation

- Multifunction profile trimming unit 2 x 0.4 kW; 200 Hz; 12000 rpm
- Profile scraper With quick-change heads
- Glue joint scraper
- Buffing unit 2x 0.18 kW
- Pneumatic package for caps and scraper
- Power Control PC 20+ electronic control unit
- Pneumatic connection Min. 6 bar

## Technical Data:

## Technical Data:

Control:

[CNC](#)

## Dimensions and Weight:

Length:

6.250 mm

Weight:

3.000 kg

## Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

## Images:

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

1

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

2

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

3

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

4

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

5

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

6

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

7

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

8

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

9

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

10

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

11

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

12

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

13



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://ns1.asset-trade.de/en>

Ref. No.:

1451

## Overview and Technical Data:

# HOMAG BRANDT KDF 650 edge banding machine

## HOMAG

Second Hand HOMAG Wood working machines for sale | Asset-Trade

Year of Build:

Jan 2012

## Description:

### Used HOMAG BRANDT Profiline KDF 650 with LigMatech Ecomat ZHR Retrur

Controls Power Control PC 20+

Single-sided edge banding machine for processing straight workpiece edges and for gluing and reworking various edge materials in longitudinal and transverse throughfeed.

## Technical Data:

- Workpiece thickness: 8 - 60 mm
- Workpiece width
  - min. 70 mm (for workpiece thickness 12-22 mm)
  - min. 120 mm (for workpiece thickness 23–40 mm)
  - min. d150 mm (for workpiece thickness 41–60 mm)
- Workpiece protrusion: 38 mm
- Edge material roll 0.4 - 3 mm
- roll diameter max. 830 mm
- Edge material strips 0.4 - 12 mm
- Working height 950 mm
- Feed rate 8 -18 m/min
- Feed rate max. with profile cutter 11 m/min
- Feed max. with profile cutter in conjunction with VKNR 4839 14 m/min
- Unit equipment
- Joining unit 2 x 2.2kW; 200 Hz
- Gluing unit A12 Workpiece preheating, quickmelt application unit, glue reactivation (infrared emitter), automatic edge magazine with reinforced pre-cutting shears, pressure zone with driven main pressure roller and 3 free-running holding pressure rollers.
- Cross-cut unit bevel/straight 2x 0.35 kW; 12000 rpm

- Pneumatic 2-point adjustment of cross-cuts
- Pre-milling unit 2 x 0.55 kW; 12000 rpm counter rotation
- Multifunction profile trimming unit 2 x 0.4 kW; 200 Hz; 12000 rpm
- Profile scraper With quick-change heads
- Glue joint scraper
- Buffing unit 2x 0.18 kW
- Pneumatic package for caps and scraper
- Power Control PC 20+ electronic control unit
- Pneumatic connection Min. 6 bar

## Technical Data:

## Technical Data:

Control:

[CNC](#)

## Dimensions and Weight:

Length:

6.250 mm

Weight:

3.000 kg

## Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

## Images:

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung  
1

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung  
2

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung  
3

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung  
4

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung  
5

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

6

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

7

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

8

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

9

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

10

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

11

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

12

Preiswerte HOMAG BRANDT Profiline KDF 650 mit LigMatech Ecomat ZHR Rückführung

13



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://ns1.asset-trade.de/en>

Generated on 04.03.2026

© Copyright 2026 - [Asset-Trade](#)

Page