

1452-12231400

Overview and Technical Data:

Used ENGEL ES 650/155 HL Victory for sale

ENGEL

Second Hand Engel Machinery for Sale | Asset-Trade Year of Build:
Jan 2001

Description:

Buy used ENGEL ES 650/155 HL Victory injection molding machine

Technical data:

Clamping force: 1500 KN
Screw diameter: 50 mm
Max. Shot weight: 440 g

Clear tie bar spacing: 750 x 750 (tie barless)
Min. mold installation height: 300 mm
Max. Mold opening stroke: 600 mm
Centering ring diameter: 160 mm

Number of core pulls: 1Cascade control: noHandling: yes

Handling Geiger LR 16 EC

X axis: 500 mmY axis: 1200 mmZ axis: 1900 mmInterface: Euromap 67

• Protective housing 2000 mm x 2000 mm with safety package

The tie-bar-less victory injection moulding machine is the ideal machine for a wide range of technical injection moulding applications and processes. The proven tie-bar-less technology ensures a particularly even clamping force distribution. For large moulds with low clamping force requirements, you only invest in the clamping force that is actually needed.

Technical Data:

Technical Data:

Control:

CNC

Machine Hours:

61432

Dimensions and Weight:

Height:

2.200 mm

Length:

5.600 mm

Width:

1.800 mm

Weight:

11.500 kg

Buyer Information:

Condition:

Very good condition

Available:

Immediately

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

18 %

Location:

Germany

Images:





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: https://ns1.asset-trade.de/en

Ref. No.: 1452-12231400

Overview and Technical Data:

Used ENGEL ES 650/155 HL Victory for sale

ENGEL

Second Hand Engel Machinery for Sale | Asset-Trade

Year of Build: Jan 2001

Description:

Buy used ENGEL ES 650/155 HL Victory injection molding machine

Technical data:

Clamping force: 1500 KN
Screw diameter: 50 mm
Max. Shot weight: 440 g

Clear tie bar spacing: 750 x 750 (tie barless)
Min. mold installation height: 300 mm
Max. Mold opening stroke: 600 mm
Centering ring diameter: 160 mm

Number of core pulls: 1Cascade control: noHandling: yes

Handling Geiger LR 16 EC

X axis: 500 mm Y axis: 1200 mm Z axis: 1900 mm Interface: Euromap 67

• Protective housing 2000 mm x 2000 mm with safety package

The tie-bar-less victory injection moulding machine is the ideal machine for a wide range of technical injection moulding applications and processes. The proven tie-bar-less technology ensures a particularly even clamping force distribution. For large moulds with low clamping force requirements, you only invest in the clamping force that is actually needed.

′ "	'ΛΛ	hni	ഹി	11	101	ha •
1	EC.	шш	cal	IJ	a	la.

Technical Data:

Control:

CNC

Machine Hours:

61432

Dimensions and Weight:

Height:

2.200 mm

Length:

5.600 mm

Width:

1.800 mm

Weight:

11.500 kg

Buyer Information:

Condition:

Very good condition

Available:

<u>Immediately</u>

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

18 %

Location:

Germany

Images:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: <u>info@asset-trade.de</u>

Web.: https://ns1.asset-trade.de/en

Generated on 21.09.2025

© Copyright 2025 - <u>Asset-Trade</u> - <u>Assessment & Sale of Used Assets worldwide</u>

Page