

1525-07100900

# **Overview and Technical Data:**

# Wheel Rim Production Line for agricultural vehicles LMF1

# **NOT DEFINED**

The Manufacture is currently unknown or not specified | Asset-Trade Year of Build:

Jan 1965

# **Description:**

The Wheel Rim Production line LMF1 is a comprehensive system designed for the manufacturing of large-format steel wheel rims, with a capacity for sizes ranging from 18 to 42 inches. The line integrates core forming, welding, and sizing machinery, much of which is over 30-40 years old, with modern material handling components from as recent as 2022. Key manufacturers in the line include Fero , VEB , Ottensener Eisenwerk , Müller , and Abus

# **Key Specifications for Agricultural Rim Production**

• Product Size Capability: 18" to 42" rims

• Maximum Rim Width: 450 mm

• Maximum Bending Sheet Thickness: 6 mm

• Key Press Forces: 2,500 kN, 34 MP (horizontal), and 135 MP (vertical)

### **Component Breakdown**

### **Material Handling & Preparation**

- Scissor Lift Table: Manufactured by Büter, it has a load capacity of 6 t.
- Electric Chain Hoist: Manufactured by Abus, it has a load capacity of 250 kg and was built in 2022.
- **Mobile Hydraulic Lifter**: A Vaculift model H-2-150 with a load capacity of 150 kg. It was built in 2015 and has the serial number 69083.
- 2 Manual Grinding Stations: Both stations have integrated extraction systems.

# Bending, Pressing & Welding

• **3-Roll Plate Bending Machine**: A 1965 Fero, type UBBDAH6x650. It is designed for a turning diameter of 350–1,100 mm, a bending width of 200–650 mm, and a max bending cross-section of 2,500 mm<sup>2</sup> on sheets up to 6 mm thick.

- **Transfer Chain Conveyor**: Measures approximately 6,000 mm in length and 600 mm in width and is over 40 years old.
- **Hydraulic Press**: From VEB Wema Zeulenroda, this type PYXEH250S1M press has a force of 2,500 kN and is over 40 years old.
- Wheel Rim Welding Machine: An Ottensener Eisenwerk model AUSK600, it has a rated power of 600 kVA, a connected load of 1,000 kVA, and a weight of 22,000 kg. It is over 30 years old and has the serial number 370215.
- Weld Seam Deburring Unit: The manufacturer and type are not specified; it is over 35 years old.

# Forming, Profiling & Sizing

- **Hydraulic Press for Rim Expansion**: A Müller, type EZ160-10.11.22, built in 1977.
- **Jib Crane**: An Abus model with a jib length of approximately 3,000 mm and an electric chain hoist with a 250 kg capacity.
- Wheel Rim Profiling Machines: Manufactured by VEB Getriebewerk Benig, these gearbox-type machines weigh 4,000 kg each and operate at 665 rpm. They are over 40 years old.
- Rim Stretching Machine: A 1963 Fero, type UBXFSK1070X460X135. It has a horizontal press force of 34 MP and a vertical press force of 135 MP. The machine handles rim sizes from 18" to 42" and a maximum rim width of 450 mm, with a slide stroke of 520 mm.

# **Auxiliary Equipment & Finishing**

- Transfer Station: An older Abus model with a chain suspension.
- **Hydraulic Power Units**: The line includes a unit with a 430 l oil tank and four additional units with a combined oil volume of 530 l.
- **Discharge Station**: Details are not specified.
- Hydraulic Press: An older VEB, type BYXE25S.
- Workstations: The line includes a workbench with an overhead light and tool cabinets

# **Technical Data:**

# **Technical Data:**

Control:

**CNC** 

# **Buyer Information:**

Condition:

Repairs required

Available:

Sold

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

**Buyers Premium:** 

18 %

Location:

Germany

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale | <b>:</b> |
|---|----------|
|   |          |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |  |
|---|--|
|   |  |
|   |  |
|   |  |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |  |
|---|--|
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |

| Cheap Wheel Rim Production | Line for agricultural vehicle | es LMF1 for Sale |
|----------------------------|-------------------------------|------------------|
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |
|                            |                               |                  |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |  |
|---|--|
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |


| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |
|   |

| Cheap Wheel Rim Production Line for agricultural vehicles LMF1 for Sale |
|---|
|   |
|   |

| Image not found or type unknown |  |  |
|---------------------------------|--|--|
| Video:                          |  |  |
|                                 |  |  |





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: https://ns1.asset-trade.de/en

Ref. No.: 1525-07100900

# **Overview and Technical Data:**

# Wheel Rim Production Line for agricultural vehicles LMF1

# **NOT DEFINED**

The Manufacture is currently unknown or not specified | Asset-Trade

Year of Build: Jan 1965

# **Description:**

The Wheel Rim Production line LMF1 is a comprehensive system designed for the manufacturing of large-format steel wheel rims, with a capacity for sizes ranging from 18 to 42 inches. The line integrates core forming, welding, and sizing machinery, much of which is over 30-40 years old, with modern material handling components from as recent as 2022. Key manufacturers in the line include Fero , VEB , Ottensener Eisenwerk , Müller , and Abus

# **Key Specifications for Agricultural Rim Production**

• **Product Size Capability**: 18" to 42" rims

• Maximum Rim Width: 450 mm

• Maximum Bending Sheet Thickness: 6 mm

• Key Press Forces: 2,500 kN, 34 MP (horizontal), and 135 MP (vertical)

# **Component Breakdown**

# **Material Handling & Preparation**

- Scissor Lift Table: Manufactured by Büter, it has a load capacity of 6 t.
- Electric Chain Hoist: Manufactured by Abus, it has a load capacity of 250 kg and was built in 2022.

- **Mobile Hydraulic Lifter**: A Vaculift model H-2-150 with a load capacity of 150 kg. It was built in 2015 and has the serial number 69083.
- 2 Manual Grinding Stations: Both stations have integrated extraction systems.

# Bending, Pressing & Welding

- **3-Roll Plate Bending Machine**: A 1965 Fero, type UBBDAH6x650. It is designed for a turning diameter of 350–1,100 mm, a bending width of 200–650 mm, and a max bending cross-section of 2,500 mm<sup>2</sup> on sheets up to 6 mm thick.
- **Transfer Chain Conveyor**: Measures approximately 6,000 mm in length and 600 mm in width and is over 40 years old.
- **Hydraulic Press**: From VEB Wema Zeulenroda, this type PYXEH250S1M press has a force of 2,500 kN and is over 40 years old.
- Wheel Rim Welding Machine: An Ottensener Eisenwerk model AUSK600, it has a rated power of 600 kVA, a connected load of 1,000 kVA, and a weight of 22,000 kg. It is over 30 years old and has the serial number 370215.
- Weld Seam Deburring Unit: The manufacturer and type are not specified; it is over 35 years old.

# Forming, Profiling & Sizing

- **Hydraulic Press for Rim Expansion**: A Müller, type EZ160-10.11.22, built in 1977.
- **Jib Crane**: An Abus model with a jib length of approximately 3,000 mm and an electric chain hoist with a 250 kg capacity.
- Wheel Rim Profiling Machines: Manufactured by VEB Getriebewerk Benig, these gearbox-type machines weigh 4,000 kg each and operate at 665 rpm. They are over 40 years old.
- **Rim Stretching Machine**: A 1963 Fero, type UBXFSK1070X460X135. It has a horizontal press force of 34 MP and a vertical press force of 135 MP. The machine handles rim sizes from 18" to 42" and a maximum rim width of 450 mm, with a slide stroke of 520 mm.

### **Auxiliary Equipment & Finishing**

- Transfer Station: An older Abus model with a chain suspension.
- **Hydraulic Power Units**: The line includes a unit with a 430 l oil tank and four additional units with a combined oil volume of 530 l.
- **Discharge Station**: Details are not specified.
- **Hydraulic Press**: An older VEB, type BYXE25S.
- Workstations: The line includes a workbench with an overhead light and tool cabinets

# Technical Data:

# **Technical Data:**

Control:

**CNC** 

# **Buyer Information:**

Condition:

Repairs required

Available:

Sold

Sold as:


# EXW (Ex Works - Incoterm) VAT:


19 % Buyers Premium: 18 %

Location:

Germany

# **Images:**







Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: https://ns1.asset-trade.de/en

Generated on 21.09.2025 © Copyright 2025 - <u>Asset-Trade - Assessment & Sale of Used Assets worldwide</u> Page